



Product Advisory

Date: April 30, 2020
Product: Hybrid Fiber Coaxial (HFC)
Reason: Manufacture Discontinue (MD) Notification

Due to low demand, ATX will be discontinuing various products within the company's HFC product portfolio. The affected SKUs are listed below.

Product Specific Lifecycle Information

We strive to follow the ATX Product Hardware and Software Lifecycle Support Policy (see last page). In this instance, component and supply issues for the affected products mandate that general MD and EOS support intervals be constrained. As such, the table below includes lifecycle milestones with associated dates specific to the products.

Product Lifecycle Milestones

Milestone	Definition	Date
Lifecycle Announcement	Date of communication announcing start of MD and the end-of-life process	April 30, 2020
Manufacture Discontinue (MD)	Last day on which affected product SKUs in this communication can be ordered, provided that stock already exists	Sept 30, 2020 *only while stock remains
End-of-Support (EOS)	Last day ATX Care technical support or repair or replacement will be offered	April 30, 2021

Discontinued Product List

ATX Part Number	Description
254-206IV	6" RCA Plug to 2-RCA Jack Y Audio Patch Cord
A-1	Hardware, O-Span Clamp
A-10	Hardware, Drop, P-Hook
A-21-4	Ground-Rod, Copper, 3/8x48"
A-22HDW	Clamp Tap Bracket w/Bolt & Nut
A-24-12	Ground-Strap, Copper, 12"
A-24-6	Ground-Strap, Copper, 6"
A-280	Ground-Strap, Galvanized, 8"
A-283	Ground-Strap, Galvanized, 10"
A-286	Ground-Strap, Copper, 10"
A-288	Ground-Strap, Copper, 10"
A42406	Adaptor, 120V, TSMS-2150X-*, 60Hz, 35W, 24VDC, 600mA
A-5/8	Ground-Rod-Clamp, Brass, 5/8"
A-6	Hardware, Drop, J-Hook
B56-001	Connector, RG56-BNC, Compression
B59-001	Connector, RG59-BNC, Compression
BNC-C59	Connector, RG59-BNC, Crimp.255
BNC-T59	Connector, RG59-BNC, Twist-On
BP1-AL	Wall-Plate, Single, 3/8" Hex Hole

ATX Part Number	Description
JRR-3DG	Jumper, Dual, RCA-Male-Male, Gold, 36"
JRR-3TG	Jumper, Triple, RCA-Male-Male, Gold, 36"
JRR-6	Jumper, Single, RCA-Male-Male, 72"
JRR-6D	Jumper, Dual, RCA-Male-Male, 72"
JRR-6F	Jumper, Single, RCA-Male-F-Male, 72"
JRR-6T	Jumper, Triple, RCA-Male-Male, 72"
JRR-6TG	Jumper, Triple, RCA-Male-Male, Gold, 72"
LA-10	Amplifier, Inline, 10 dB, Ch.T7-135
LPF-230	Filter, Inline, Low-Pass, Ch.2-13
LPF-450	Filter, Inline, Low-Pass, Ch.2-61
LPF-550	Filter, Inline, Low-Pass, Ch.2-78
LPF-700	Filter, Inline, Low-Pass, Ch.2-108
MB-S	Mounting Bracket Standard Product
MCM-101	Amplifier, Drop, 10 dB, Ch.2-W
MCM-30	Amplifier, Distribution, 30 dB, Ch.2-13
MCM-55	Amplifier, Distribution, 55 dB, Ch.2-W
MINI-BNC	Connector, BNC Mini, RG59
MINI-CB	Band, Elastic Color For Mini Connector
MINI-F	Connector, F Mini, RG59

ATX Part Number	Description
BP1-IV	Wall-Plate, Single, 3/8" Hex Hole
BP2-W	Discontinued
BP3-IV	Wall-Plate, Dual-Knockout, 3/8" Hex Hole
BPB-AL	Wall-Plate, Blank
CC-155I	Cable-Clip, RG56, Dual, 15.5 mm
CC-155W	Cable-Clip, RG56, Dual, 15.5 mm
CC-7I	Cable-Clip, RG56, Single, 7 mm
CC-7W	Cable-Clip, RG56, Single, 7 mm
CC-952BK	Cable-Clip, RG56, Horizontal-Siding, Black/Clear
CC-953BK	Cable-Clip, RG56, Vertical-Siding, Black/Clear
CC-953CL	Cable-Clip, RG56, Vertical-Siding, Black/Clear
CC-954BK	Cable-Clip, RG56, Vertical-Siding, Black/Clear
CC-963BK	Cable-Clip, Screw-In, Black
CPS-59STQ-P	Connector, 59 Compression, CNET 21.0
CPS-6STQ-P	Connector, RG6 Compression, 21.0 mm
CPS-6STQ-PS	Connector, RG6 Compression, 19.3 mm
CR-11	RG-11 Crimp Ring
CR-59-1/4	Ring, Crimp, RG-59, 1/4"
CS-200	Tool, Cable-Prep, Rotary, 3-Blade, Clothespin
CS-202	Tool, Cable-Prep, Rotary, 3-Blade, Quick-Spin

ATX Part Number	Description
MINI-RCA	Connector, RCA Mini, RG59
MOR-72ENC	Rack, Headend Equipment, 19wx72hX39d, Enclosed
MOR-88ENC	Rack, Headend Equipment, 19x88, Enclosed
MOR-LCD4	Rack Mounted 4 Monitor 4 4" TFT LCD
MOR-PSV	Vertical Rack Mount Power Distribution Strip - 22 Outlets (5' Power Cord)
MOR-S6/B	Rack-Shelf, Headend, 6-Unit Vertical for D12-100
MP-1	Connector, RG58-Motorola, Solder/Crimp, 1 GHz
MPA-HD	Amplifier, Preamp, 25 dB, Mastmount, Ch 2-83
MUL-280	Meter, Multi-Function, Digital, VOM
MVSSJL	Diplexer/Combiner, VHF-UHF
MVSSJP1	Diplexer/Combiner, Premier, VHF-UHF
MW-716	Tool, Mini-Wrench, 7/16"
NF-NSS	Security-Sleeve, For-Notch-Trap
NLS	Security-Sleeve, Nylon, Black
NUTS-716	7/16" Mounting Nuts
PAB-2	Switch-A/B, Top-Push-Button, 1 GHz
PCORD	AC Power Cord, 6' UL
PCORD-RACK	Power Cord 6 Outlet Surge Suppressor 4' Cord
PFC-001	Tool, Connector-Compression, RG59 & 56 & Q
PFC-002	Tool, Connector-Compression, BNC-F-RCA

ATX Part Number	Description
CS-596	Tool, Cable-Prep, Rotary, 2-Bade, Easy-Spin
CS-596B	Tool, Replacement Blades for CS-596
CS-MINI	Tool, Mini Coaxial Cable Stripper
CT-50B	Tie, Cable, 7.5" Black
CT-708CL	Cable-Tie, 8", 120lb. Clear
CT-712CL	Cable-Tie, 12", 120lb. Clear
CT-715CL	Cable-Tie, 15", 120lb. Clear
CT-804BK	Cable-Tie, 4", 18lb. Clear/Black
CT-804CL	Cable-Tie, 4", 18lb. Clear/Black
CT-812BK	Cable-Tie, 12", 40lb. Clear/Black
CT-815CL	Cable-Tie, 15", 40lb. Clear/Black
DCGSB-9	Coupler, Direct, 9 dB Tap, 1 GHz, Indoor/Out, Solder Back
DS75-3	Splitter, Die, VHF, 3-Way
DS75-4DC	Splitter, PowerPass, VHF, 4-Way
DSM1	Meter, Satellite, Dual, Level
EDPM-L	Sleeve, Weather Seal, 1/2"
EDPM-S	Sleeve, Weather Seal, 1/4"
EM-HARJ	Harness for EM-2HD Module (4' PB HD 15 to 3 RCA Composite M) Japan
EZ-NLS	Security-Sleeve, Nylon, Grey

ATX Part Number	Description
PFC-011	Tool, Connector-Compression, RG11
PFR-4	Forward Receiver 50-860 MHz, 1RU, Quad
PFR-BP	Pico Faceplate for PFR-Forward Receiver
PFT-BP	Pico Faceplate for PFT-Optical Transmitter
PICO-TECH	Meter, CATV, Ch.2-136
PRR-1	Reverse Receiver 5-200 MHz, 1RU, Single
PRR-2	Reverse Receiver 5-200 MHz, 1RU, Dual
PRR-4	Reverse Receiver 5-200 MHz, 1RU, Quad
PRR-BP	Pico Faceplate for PRR-Reverse Receiver
PS-10	Power Inserter, 10 VDC, 100MA
PS-10/220	Supply, PWR, Diplexer, 220V, 50Hz
PS-12	Inserter, Power, 12 VDC, 350Am
PTT2-MBF	Multi-Band Filter 5-42/109-119/397-443/745-750
R59-001	Connector, RG59-RCA, Compression
RCA-59	Connector, RG59-RCA-Male, Solder/Crimp
RG11-127MU	Cable, RG11, w/Messenger, UL, Black (Reel-1000')
RG11-127U	Cable, RG11, Black, UL, (Reel-1000')
RG59-6B	Cable 67% BRD, BLK, 59/U DROP
RG6-127MU	Cable, RG6, w/Messenger, UL, Black, (Reel-1000')

ATX Part Number	Description
F11-001	Connector, RG11-F, Compression
F-11P	Connector, RG11-F, Crimp.472, Plenum
F-11P/10.8	Connector, RG11-F, Crimp.472-Pin, Plenum
F56-001	Connector, RG56-F, Compression
F56-002	Connector, RG56-F, Compression, 21 mm
F56-324D-M	Connector, RG56-F, Crimp .324, Diecast
F56-324G	Connector, RG56-F, Crimp .324, Chromate
F56-324G-M	Connector, RG56-F, Crimp .324, Chromate
F56-324GSOL	Connector, RG56-F, Crimp .324, Weather Sealed
F56-324T	Connector, RG56-F, Crimp .324, Tin
F56-342G	Connector, RG56-F, Crimp .324, Chromate
F56-342T	Connector, RG56-F, Crimp .324, Tin
F56-357G	Connector, RG59-F, Crimp .360, Quad, Chromate
F56Q-001	Connector, RG56-F, Compression, Quad
F59-001	Connector, RG59-F, Compression
F59-290GSOL(E)	RG59 connector .290 Crimp Weather Seal
F59-290T	Connector, RG59-F, Crimp .324, Tin
F59-385T	Connector, RG59, w/ATT Ring, 9.8 mm, Tin
FMS/220	Amplifier, Strip, FM, 80-108 MHz, 220V/50Hz

ATX Part Number	Description
RG6-127U	Cable, RG6, UL, Black, (Reel-1000')
SC-3	Combiner, Ch.3/2-158
SF-81GB1	Ground-Block, Single, 1-Ground-Lug, 3 GHz
SF-81GB2D	Ground-Block, Dual, 2-Ground-Lug, 3 GHz
SGL-01	Security, Locking-Terminator, w/out-Resistor
SGT-01	Security-Tool, Locking-Terminator
SS-1DL	Security-Sleeve, Diecast, Long
SSP-16/2150	Processor 16-Way Satellite Signal
SSP-16/2150FP	Faceplate for SSP-16/2150DAWNCO
ST-1PL	Security-Tool, Long, 7/16" Hex
SW-8F	Tool, Socket Wrench, 8"
TA-12/220	Amplifier, 12 dB, GAIN, UHF/VHF, 220V
TA-36/220	Amplifier, 36 dB, UHF/VHF/FM, 220V/50 Hz, Switchable
TA-52	Amplifier, Headend, 52 dB, Ch.2-83
TSB-21GFR	Splitter, 2-Way, Flat-Port, Round-Pin, 1 GHz
TSB-41GF	Splitter, 1 GHz, Flat-Port, SCTE Type
TSB-41GFR	Splitter, 4-Way, Flat-Port, Round-Pin, 1 GHz
TSDM-2150	Diplexer/Combiner, Ch.2-158/Satellite
TSHC-11FTD	Connector, RG11-KS, Die-Cast, Feed-Thru

ATX Part Number	Description
FMT	FM Trap Filter 88-108 MHz
FTB-56D-I	Dual Feed-Thru Bushings (Bag-100)
FTB-56DK-B	Bushing, RG56, Dual-Knockout, Black
GRB-1	Ground-Block, Single, 1-Ground-Lug, 1 GHz
GRB-1HRL	Ground-Block, Single, 1-Ground-Lug, 3 GHz
GRB-2	Ground-Block, Dual, 2-Ground-Lug, 1 GHz
GRB-2HRL	Ground-Block, Dual, 2-Ground-Lug, 3 GHz
GRB-2HRL/3G3	Ground-Block, 3-Ground-Lug, 3 GHz
HKSP-03514	XFMR, 220V/50Hz, CHC-16, CA-
HX-009	Tool, Connector-Crimp, RG56 & 11
HX-596	Tool, Connector-Crimp, RG59 & 56
HX-596Q	Tool, Connector-Crimp, RG59 & 556 Quad
J120-60FF	Cable, Jumper, 10', F-F, 60% Braid
J120-67FF	Cable, Jumper, 10', F-F, 67% Braid
J144-60FF	Cable, Jumper, 12', F-F, 60% Braid
J180-60FF	Cable, Jumper, 15', F-F, 60% Braid
J18-60FF	Cable, Jumper, 18", F-F, 60% Braid
J18-67FR	Cable, Jumper, 18", F-F, 67% Braid
J24-60FF	Cable, Jumper, 24", F-F, 60% Braid
J24-67FR	Cable, 24", F-R, 67% Braid

ATX Part Number	Description
TSHC-180-3	Adaptor, KSmale-KSfemale, 180deg, 3"ext
TSHC-500P	Connector, 500-KS, Pin
TSHC-500S	Connector, 500-500, Splice
TSHC-750P	Connector, 750-KS, Pin
TSHC-750S	Connector, 750-750, Splice
TSHC-90	Adaptor, KSmale-KSfemale, 90deg
TSHC-H-FAC	Adaptor, KSmale-Ffemale
TSHC-H-H	Adaptor, KSmale-KSmale
TSHC-PT	Adaptor, KSmale-Term
TSHC-SB	Adaptor, KSfemale-KSfemale, Splice
TSMS-2150-4	Multiswitch, Distribution, 3x4, Passive, Satellite
TSMS-2150-4A	Multiswitch, Distribution, 3x4, Active, Satellite
TSMS-2150-5/4	Multiswitch, Distribution, 5x4, Active, Satellite
TSMS-4/8	Multiswitch, Distribution, 4x8, Active, Satellite
TSMS-4/8-PS	TSMS-4/8 Power Supply
TSMS-5/8	Multiswitch, Distribution, 5x8, Active, Satellite
TSMS-5/8RK	Multiswitch, Headend, 5X8, Satellite
TSSF-992	Meter, Satellite, Pocket, Economy
TSSF-993	Meter, Satellite, Pocket, Bar-Graph
TSST-2150-1-10	Tap, 1-Port, Directional, Satellite, Ch.T7-158

ATX Part Number	Description
J36-60FF	Cable, Jumper, 36", F-F, 60% Braid
J36-60FR	Cable, Jumper, 36", F-R, 60% Braid
J48-67FR	Cable, 48", F-R, 67% Braid
J6-60FF	Cable, Jumper, 6", F-F, 60% Braid
J96-60FF	Cable, Jumper, 96", F-F, 60% Braid
JRG6BNC-144	144" Jumper Cable, RG6, BNC-BNC, B56-001
JRG6C-108	108" Jumper Cable, RG6, F-F, Compression Connector
JRG6C-12	12" Jumper Cable, RG6, F-F, Compression Connector
JRG6C-132	132" Jumper Cable, RG6, F-F, Compression Connector
JRG6C-30	30" Jumper Cable, RG6, F-F, Compression Connector
JRG6C-6	6" Jumper Cable, RG6, F-F, Compression Connector
JRG6C-72GT	Jumper, 72"
JRG6C-84	84" Jumper Cable, RG6, F-F, Compression Connector
JRR-06	Jumper, RCA to RCA, 6" RG59
JRR-1	Jumper, Single, RCA-Male-Male
JRR-1.5	Jumper, Single, RCA-Male-Male, 144"
JRR-1.5D	1.5" Dual RCA to RCA Jumper Cable
JRR-12DG	Jumper, Dual, RCA-Male-Male, Gold, 144"
JRR-12T	Jumper, Triple, RCA-Male-Male, 144"
JRR-12TG	Jumper, Triple, RCA-Male-Male, Gold, 144"

ATX Part Number	Description
TSST-2150-1-12	Tap, 1-Port, Directional, Satellite, Ch.T7-158
TSST-2150-1-16	Tap, 1-Port, Directional, Satellite, Ch.T7-158
TSST-2150-1-20	Tap, 1-Port, Directional, Satellite, Ch.T7-158
TSST-2150-1-24	Tap, 1-Port, Directional, Satellite, Ch.T7-158
TSST-2150-2-12	Tap, 2-Port, Directional, Satellite, Ch.T7-158
TSST-2150-2-20	Tap, 2-Port, Directional, Satellite, Ch.T7-158
TSST-2150-2-24	Tap, 2-Port, Directional, Satellite, Ch.T7-158
TSV-2	Splitter, 2-Way, Vertical, 1 GHz
TSV-3	Splitter, 3-Way, Vertical, 1 GHz
TSV-4	Splitter, 4-Way, Vertical, 1 GHz
TSV-6	Splitter, 6-Way, Vertical, 1 GHz
TSV-8	Splitter, 8-Way, Vertical, 1 GHz
UVSJ	Diplexer/Combiner, Ch.2-13/14-83
WASHER	Washer, For F-81-Adaptor
WB-1UV	Weather-Boot, Rubber, Ribbed
WB-3UV	Weather-Boot, Rubber
WP-81DIV	Wall-Plate, Dual, w/F-81-Adaptor, Ivory
WP-81DW	Wall-Plate, Dual, w/F-81-Adaptors, White
WP-81SS	Wall-Plate, Single, w/F-81-Adaptor, Steel
WP-81W	Wall-Plate, Single, w/F-81-Adaptor, White

ATX Part Number	Description
JRR-1D	Jumper, Dual, RCA-Male-Male, 12"
JRR-2	Jumper, Single, RCA-Male-Male, 24"
JRR-3	Jumper, Single, RCA-Male-Male, 36"
JRR-3D	Jumper, Dual, RCA-Male-Male, 36"

ATX Part Number	Description
WS3G-2	Splitter, 3 GHz, 2-Way
WS3G-3	Splitter, 3 GHz, 3-Way
WS3G-4	Splitter, 3 GHz, 4-Way

ATX Product Hardware and Software Lifecycle Support Policy

ATX stands behind the products that we design, manufacture and ship to our customers. Standard warranty terms will apply to all products ordered and shipped during this transition period.

Lifecycle	Software	Hardware
Active	<ul style="list-style-type: none"> • 90-Day Factory S/W Warranty • S/W Generally Available (GA) for deployment • Minimum 1 year Active interval • Standard Warranty terms apply for 90 days • ATX Care Support Plan required thereafter • Corrective content via Maintenance releases 	<ul style="list-style-type: none"> • One (1) year Factory H/W Warranty • Hardware currently manufactured and available for order OR Hardware ordered and provided under the post-MD and EOS terms and conditions • Standard Warranty and ATX Care terms apply
Inactive (Software) or MD – Manufacturing Discontinued	<ul style="list-style-type: none"> • Minimum 1 year Inactive interval • Targeted corrective content (Outage, BC) with ATX Care 	<ul style="list-style-type: none"> • Not available for new deployments and expansions • Customer specific exceptions may be made based on MPSA
Retired (Software) or EOL – End-of-Life (Hardware)	<ul style="list-style-type: none"> • Minimum 3 year Retired interval • No corrective content available • Emergency Recovery only (no RCA) with ATX Care Support Plan • No Security patching 	<ul style="list-style-type: none"> • Minimum (3) year Post MD support window • ATX no longer supports advancement replacement of H/W as existing stock may have been exhausted but MAY still provide a best-effort repair service
EOS – End-of-Support	<ul style="list-style-type: none"> • ATX no longer supports the product 	<ul style="list-style-type: none"> • ATX does not support the H/W and support for certain H/W may be removed from S/W releases

Note that customer and contract-specific terms and conditions may apply that supersede the above policy intervals.

Global Services & Support

Contact ATX Networks

Please contact ATX Technical Support for assistance with any ATX products and to obtain a valid RMA number for any ATX products that require service and are in or out of warranty before returning a failed module to the factory.

Toll Free: 866.YOUR.ATX (866.968.7289) USA & Canada only – Select Option 1

Tel: +1 289.204.7800

Email: support@atx.com

Web: www.atx.com

As always, please contact your ATX Sales and or Support primes for additional information.

ATX would like to thank you in advance for your understanding and continued support.

Purchase Orders

Email: orders@atx.com